

SMALL TREES

To be planted no closer than 30 feet apart, in tree lawns or public right-of-way that is at least 3 feet wide. The average 30-year mature tree height less than 30 feet.

<u>Common Name(s)</u>	<u>Scientific Name (Family, Genus, Species)</u>
Hedge Maple (Field Maple)	<i>Aceraceae Acer campestre</i>
Amur Maple	<i>Aceraceae Acer ginnala</i>
Paperbark Maple	<i>Aceraceae Acer griseum</i>
Tartarian Maple	<i>Aceraceae Acer tartaricum</i>
American Smoketree N	<i>Anacardiaceae Cotinus obovatus</i>
American Hop-Hornbeam C, N	<i>Betulaceae Ostrya virginiana</i>
Cornelian Cherry Dogwood (tree form) N	<i>Cornaceae Cornus mas</i>
Pagoda Dogwood (tree form) C, N, S (Alternate Leaf Dogwood or Green Osier)	<i>Cornaceae Cornus alternifolia</i>
Amur Maackia	<i>Fabaceae Maackia amurensis</i>
Saucer Magnolia	<i>Magnoliaceae Magnolia soulangeana</i>
Star Magnolia	<i>Magnoliaceae Magnolia stellata</i>
Fringetree (white fringetree) SE U.S.	<i>Oleaceae Chionanthus virginicus</i>
'Ivory Silk' Japanese Tree Lilac	<i>Oleaceae Syringa reticulata</i> 'Ivory Silk'
Thornless Cockspur Hawthorn C, N, S	<i>Rosaceae Crataegus crusgalli</i> 'Inermis'
Centurion Crabapple (tree form) <i>Malus</i> is C, N, S	<i>Rosaceae Malus</i> 'Centzam'
Harvest Gold Crabapple (tree form) <i>Malus</i> is C, N, S	<i>Rosaceae Malus</i> 'Hargozam' Prairiefire
Crabapple (tree form) <i>Malus</i> is C, N, S	<i>Rosaceae Malus</i> 'Prairiefire'
Sugar Tyme Crabapple (tree form) <i>Malus</i> is C, N, S	<i>Rosaceae Malus</i> 'Sutyzam'
Amur Cork (Chinese Cork), male only	<i>Rutaceae Phellodendron amurense</i>
Two-Winged Silverbell (Snowdrop Tree) Native to US	<i>Sytracaceae Halesia diptera</i>

OXFORD'S URBAN TREE MANAGEMENT PLAN

C: Considered "Common" in Ohio Department of Natural Resources, Division of Forestry (ODNR) "Index of Ohio Trees"

N: Considered a generally "Native" tree species by the ODNR

S: Suggested by ODNR in "Selecting Trees for Your Needs" January, 2009

MEDIUM TREES

To be planted no closer than 40 feet apart, in tree lawns or public right-of-way that is at least 5 feet wide. The average 30-year mature tree height less than 45 feet.

<u>Common Name(s)</u>	<u>Scientific Name (Family, Genus, Species)</u>
Japanese Maple	<i>Aceraceae Acer palmatum</i>
Black Alder N, S	<i>Betulaceae Alnus glutinosa</i>
Heritage River Birch C, N, S	<i>Betulaceae Betula nigra</i>
American Hornbeam N	<i>Betulaceae Carpinus caroliniana</i>
Turkish Filbert (Hazelnut)	<i>Betulaceae Corylus colurna</i>
Katsura Tree	<i>Cercidiphyllaceae Cercidiphyllum japonicum</i>
Hardy Rubber Tree	<i>Eucommiaceae Eucommia ulmoides</i>
Yellowwood N (American or Kentucky Yellowwood)	<i>Fabaceae Cladrastis kentuckea</i>
Thornless Honeylocust C, N, S	<i>Fabaceae Gleditsia triacanthos</i> ‘Inermis’
Japanese Pagoda Tree (Chinese Scholar Tree)	<i>Fabaceae Sophora japonica</i>
Sassafras C, N	<i>Lauraceae Sassafras albidum</i>
Shadblow Serviceberry C, N, S	<i>Rosaceae Amelanchier arborea</i>
Allegheny Serviceberry C, N, S (Smooth Serviceberry)	<i>Rosaceae Amelanchier laevis</i>
Sargent Cherry	<i>Rosaceae Prunus sargentii</i>
Goldenrain Tree	<i>Spindaceae Koelreuteria paniculata</i>
Crimean Linden (Caucasian Lime)	<i>Tiliaceae Tilia x. euchlora</i>
Zelkova (Japanese Elm)	<i>Ulmaceae Zelkova serrata</i>

OXFORD'S URBAN TREE MANAGEMENT PLAN

C: Considered “Common” in Ohio Department of Natural Resources, Division of Forestry (ODNR)” Index of Ohio Trees”

N: Considered a generally “Native” tree species by the ODNR

S: Suggested by ODNR in “Selecting Trees for Your Needs” January, 2009

LARGE TREES

To be planted no closer than 50 feet apart, in tree lawns or public right-of-way that is at least 8 feet wide. The average 30-year mature tree height greater than 45 feet.

<u>Common Name(s)</u>	<u>Scientific Name (Family, Genus, Species)</u>
Norway Maple	<i>Aceraceae Acer platanoides</i>
Red Maple C,N,S	<i>Aceraceae Acer rubrum</i>
Autumn Blaze Freeman Maple	<i>Aceraceae Acer rubrum freemanii</i> ‘Autumn Blaze’
Sugar Maple C, N, S	<i>Aceraceae Acer saccharum</i>
Sugarberry (Native to the U.S.)	<i>Betulaceae Celtis laevigata</i>
All Seasons Sugarberry (Native to the U.S.)	<i>Betulaceae Celtis laevigata</i> ‘Sugarberry’
Black Tupelo (Blackgum) N	<i>Cornaceae Nyssa sylvatica</i>
Eastern Red Cedar C, N, S	<i>Cupressaceae Juniperus virginiana</i>
Dawn Redwood	<i>Cupressaceae Metasequoia glyptostroboides</i>
Bald Cypress C, N, S	<i>Cupressaceae Taxodium distichum</i>
Kentucky Coffeetree - male only N	<i>Fabaceae Gymnocladus dioica</i>
American Beech (North American Beech) C, N	<i>Fagaceae Fagus grandifolia</i>
European Beech (Common Beech)	<i>Fagaceae Fagus sylvatica</i>
Attention Oak N	<i>Fagaceae Quercus rubra</i> ‘Attention’
White Oak C, N, S	<i>Fagaceae Quercus alba</i>
Sawtooth Oak C	<i>Fagaceae Quercus acutissima</i>
Scarlet Oak C, N, S	<i>Fagaceae Quercus coccinea</i>
Shingle Oak (Laurel Oak) C, N, S	<i>Fagaceae Quercus imbricaria</i>
English Oak (Pedunculate Oak) C	<i>Fagaceae Quercus robur</i>
Red Oak C, N, S	<i>Fagaceae Quercus rubra</i>
(Northern Red or Champion Oak)	
Shumard Oak C, N	<i>Fagaceae Quercus shumardii</i>
Burr Oak (Bur or Mossycup Oak) C, N	<i>Fagaceae Quercus macrocarpa</i>
Chinkapin Oak (Chinquapin Oak) C, N	<i>Fagaceae Quercus muehlenbergii</i>
Ginkgo (Maidenhair tree) - male only	<i>Ginkgoaceae Ginkgo biloba</i>
Sweetgum C, N, S	<i>Hamelidaceae Liquidambar styraciflua</i>
Tulip tree (Tulip Poplar) C, N, S	<i>Magnoliaceae Liriodendron tulipifera</i>
Cucumbertree Magnolia C, N	<i>Magnoliaceae Magnolia acuminata</i>

OXFORD’S URBAN TREE MANAGEMENT PLAN

C: Considered “Common” in Ohio Department of Natural Resources, Division of Forestry (ODNR) “Index of Ohio Trees”

N: Considered a generally “Native” tree species by the ODNR

S: Suggested by ODNR in “Selecting Trees for Your Needs” January, 2009

LARGE TREES

(continued)

<u>Common Name(s)</u>	<u>Scientific Name (Family, Genus, Species)</u>
Silver Linden	<i>Malvaceae Tilia tomentosa</i>
European Larch	<i>Pinaceae Larix decidua</i>
Tamarack (Eastern, American, or Black Larch, or Hackmatack) Native to Canada, upper Midwest and NE states	<i>Pinaceae Larix laricina</i>
London Plane Tree (hybrid of native Sycamore)	<i>Platanaceae Platanus x acerifolia</i>
America Linden (American Basswood) N	<i>Tiliaceae Tilia americana</i>
Littleleaf Linden	<i>Tiliaceae Tilia cordata</i>
Bigleaf Linden	
Prairie Pride Hackberry C, N	<i>Ulmaceae Celtis occidentalis</i> 'Prairie Pride'
Princeton Elm <i>U. americana</i> is native	<i>Ulmaceae Ulmus americana</i> 'Princeton'
Valley Forge Elm <i>U. americana</i> is native	<i>Ulmaceae Ulmus americana</i> 'Valley Forge'
Homestead Elm	<i>Ulmaceae Ulmus</i> 'Homestead'
Pioneer Elm	<i>Ulmaceae Ulmus</i> 'Pioneer'
Regal Elm	<i>Ulmaceae Ulmus</i> 'Regal'
Accolade (trademarked) Elm	<i>Ulmaceae Ulmus davidian</i> var. <i>japonica</i> 'Morton'

OXFORD'S URBAN TREE MANAGEMENT PLAN

C: Considered "Common" in Ohio Department of Natural Resources, Division of Forestry (ODNR)" Index of Ohio Trees"

N: Considered a generally "Native" tree species by the ODNR

S: Suggested by ODNR in "Selecting Trees for Your Needs" January, 2009

TREES NOT ALLOWED

These trees shall not be utilized as street trees due to inherent problems with the tree type such as susceptibility to limb or trunk breakage, disease(s), pests, large, messy, or odiferous fruits, invasive roots, etc.

<u>Common Name(s)</u>	<u>Scientific Name (Family, Genus, Species)</u>
American Holly (White Holly)	<i>Aquifoliaceae Ilex opaca</i>
Russian Olive (Oleaster)	<i>Elaeagnaceae Elaeagnus angustifolia</i>
Pin Oak (Swamp Spanish Oak)	<i>Fagaceae Quercus phellos</i>
Female Ginkgo (Maidenhair tree)	<i>Ginkgoaceae Ginkgo biloba</i>
Witch Hazel (any variety)	<i>Hamamelidaceae Hamameli</i>
Butternut (White Walnut)	<i>Juglandaceae Juglans cinerea</i>
Black Walnut	<i>Juglandaceae Juglans nigra</i>
Osage Orange (Hedgeapple, Bois D'arc, Bodark)	<i>Moraceae Maclura pomifera</i>
Mulberry (any variety)	<i>Moraceae Morus</i>
White Ash	<i>Oleaceae Fraxinus americana</i>
European Ash	<i>Oleaceae Fraxinus excelsior</i>
Green Ash	<i>Oleaceae Fraxinus pennsylvanica</i>
Blue Ash	<i>Oleaceae Fraxinus quadrangulata</i>
Modesto Ash (Velvet Ash)	<i>Oleaceae Fraxinus velutina</i>
Austrian Pine (European Black Pine)	<i>Pinaceae Pinus nigra</i>
White Pine (Eastern or Northern White Pine)	<i>Pinaceae Pinus strobus</i>
Scotch Pine (Scots Pine)	<i>Pinaceae Pinus sylvestris</i>
Japanese Black Pine (Kuro-matsu)	<i>Pinaceae Pinus thunbergiana</i>
Callery Pear	<i>Rosaceae Pyrus calleryana</i>
Amur Cork (Chinese Cork), male only	<i>Rutaceae Phellodendron amurense</i>
White Poplar (Silver-leaved or Silver Poplar)	<i>Salicaceae Populus alba</i>
Cottonwood (Eastern Cottonwood, of Necklace Poplar)	<i>Salicaceae Populus deltoids</i>
Lombardy Black Poplar	<i>Salicaceae Populus nigra</i>
Willow (any variety)	<i>Salicaceae Salix</i>

TREES NOT ALLOWED
(continued)

<u>Common Name(s)</u>	<u>Scientific Name (Family, Genus, Species)</u>
Boxelder (Ash-leaved or Manitoba Maple)	<i>Sapindaceae Acer negundo</i>
Silver Maple (Soft, White, or Water Maple)	<i>Sapindaceae Acer saccharinum</i>
Horsechestnut	<i>Sapindaceae Aesculus hippocastanum</i>
Tree of Heaven (Ailanthus)	<i>Simarobaceae Ailanthus altissima</i>
American Elm (White, Gray, Water, Swamp or Soft Elm)	<i>Ulmaceae Ulmus americana</i>
Siberian Elm (Asiatic or Dwarf Elm)	<i>Ulmaceae Ulmus pumila</i>