Page	1	of	3
------	---	----	---



Internal Use Only: Case No.	
Date Filed	

# **Preliminary Subdivision Application**

# **Applicant Information**

Attach a Letter of Agency if the Applicant is	not the property owner.		
Name *			
Mailing Address *			
City, State & Zip Code *			
Telephone Number(s) *			
Email Address			
Engineer/Surveyor Informati	ion		
Mailing Address *			
City, State & Zip Code *			
Telephone Number(s) *			
Email Address			
Location and Lot Information	n		
Location of Property *			
Legal Description *			
Zoning District *	Proposed Lots *	Total Area *	Acres

## **Requirements and Documentation**

#### **Plat**

**Twenty (20) copies of the plat on bond**. Drawing size must be at least 17x22" and should never exceed 24x36." The plat must be prepared in accordance with Chapter 1101, Subdivision Regulations and Chapters 1121-1137, Zoning Code of the City of Oxford <sup>1</sup>. Scale should not exceed 1" = 100.' Plats containing less than three lots are exempted from the provisions of this section. The preliminary plat shall show:

No.	Required Item Description
1	20 sets (17" x 22" minimum)
2	Electronic version of all documentation submitted (PDF preferred)
3	Digital copy in Auto CAD format submitted on a CD. Shall utilize the NAD-83 Ohio South State Plane Coordinate System for horizontal control and the NAVD-1988 for vertical control. All subdivision boundary corners shall also be tied to the NAD-83 Ohio South State Plane Coordinate System and labeled with a northing and easting, as well as centerline intersections, temporary turn-around center points and easement centerline that does not follow a lot line.
4	The name, mailing address, and telephone number of the applicant and owner.
5	Letter of Agency. (A statement from the owner that the applicant is entitled to apply on his or her behalf.)

Page 2 of 3

Attach a written, detailed description of the request.  Metes and bounds description of the property (Legal Description).  Vicinity Map  The zoning district in which the site is located.  Required Fee.  Number of proposed lots.  Preliminary Plat shall show the following:  A. The location of present property and section lines, streets, buildings, lakes and watercourses.  B. Boundary lines, size and tract of whole site and each individual lot in square feet and/or acres.  C. Any existing water mains, culverts, sewer lines, railroads, easements, parks, permanent buildings, power poles, other underground structures and streets within the tract or immediately adjacent thereto, including the location, dimension and size of the nearest water main and sewer line.  D. The proposed location and width of streets, alleys, lots, parking areas, pedestrian walks, ingress/egress, setback lines and easements.  The title under which the proposed subdivision is to be recorded and the name of the subdivider and owner if other than the subdivider platting the tract.  F. The names and boundaries of all adjoining subdivisions and the names of recorded owners of adjoining parcels including mailing addresses and parcel numbers within 200 feet of the site.  G. North point, scale and date.  H. Existing contours with intervals of five feet or less referred to U.S.G.S. datum and obtained from a field survey.  I. The seal, registry number and signature of the registered surveyor and professional engineer who prepared the plat.  J. The plan should evaluate existing watercourses, channels, storm sewers, culverts and proposed improvements pertaining to drainage and flood control in regard to their ability to handle the anticipated greater volume of run-off and peak flows.  K. Any existing building(s) to remain or to be razed.  L. Location of any wooded areas, topographic and natural features that are within and adjacent to the proposed project area to be preserved.  M. If and how the proposed subdivision will be subdivided in Phases.  P. Build	No.	Page 2 of 3  Required Item Description
8 Vicinity Map 9 The zoning district in which the site is located. 10 Required Fee. 11 Number of proposed lots. 12 Preliminary Plat shall show the following: 12 A. The location of present property and section lines, streets, buildings, lakes and watercourses. 13 B. Boundary lines, size and tract of whole site and each individual lot in square feet and/or acres. 14 C. Any existing water mains, culverts, sewer lines, railroads, easements, parks, permanent buildings, power poles, other underground structures and streets within the tract or immediately adjacent thereto, including the location, dimension and size of the nearest water main and sewer line. 15 D. The proposed location and width of streets, alleys, lots, parking areas, pedestrian walks, ingress/egress, setback lines and easements. 16 F. The title under which the proposed subdivision is to be recorded and the name of the subdivider and owner if other than the subdivider platting the tract. 17 F. The names and boundaries of all adjoining subdivisions and the names of recorded owners of adjoining parcels including mailing addresses and parcel numbers within 200 feet of the site. 18 G. North point, scale and date. 19 H. Existing contours with intervals of five feet or less referred to U.S.G.S. datum and obtained from a field survey. 10 I. The plan should evaluate existing watercourses, channels, storm sewers, culverts and proposed improvements pertaining to drainage and flood control in regard to their ability to handle the anticipated greater volume of run-off and peak flows. 18 K. Any existing building(s) to remain or to be razed. 19 L. Location of any wooded areas, topographic and natural features that are within and adjacent to the proposed project area to be preserved. 19 M. If and how the proposed subdivision will be subdivided in Phases. 10 L. Landscaping Plan 11 P. Building Concepts, as applicable.	6	Attach a written, detailed description of the request.
The zoning district in which the site is located.  Required Fee.  Number of proposed lots.  Preliminary Plat shall show the following:  A. The location of present property and section lines, streets, buildings, lakes and watercourses.  B. Boundary lines, size and tract of whole site and each individual lot in square feet and/or acres.  C. Any existing water mains, culverts, sewer lines, railroads, easements, parks, permanent buildings, power poles, other underground structures and streets within the tract or immediately adjacent thereto, including the location, dimension and size of the nearest water main and sewer line.  D. The proposed location and width of streets, alleys, lots, parking areas, pedestrian walks, ingress/egress, setback lines and easements.  E. The title under which the proposed subdivision is to be recorded and the name of the subdivider and owner if other than the subdivider platting the tract.  F. The names and boundaries of all adjoining subdivisions and the names of recorded owners of adjoining parcels including mailing addresses and parcel numbers within 200 feet of the site.  G. North point, scale and date.  H. Existing contours with intervals of five feet or less referred to U.S.G.S. datum and obtained from a field survey.  I. The seal, registry number and signature of the registered surveyor and professional engineer who prepared the plat.  J. The plan should evaluate existing watercourses, channels, storm sewers, culverts and proposed improvements pertaining to drainage and flood control in regard to their ability to handle the anticipated greater volume of run-off and peak flows.  K. Any existing building(s) to remain or to be razed.  L. Location of any wooded areas, topographic and natural features that are within and adjacent to the proposed project area to be preserved.  N. Site Analysis as stipulated in Section 402(b).  O. Landscaping Plan  P. Building Concepts, as applicable.	7	Metes and bounds description of the property (Legal Description).
10 Required Fee. 11 Number of proposed lots. 12 Preliminary Plat shall show the following: 13 A. The location of present property and section lines, streets, buildings, lakes and watercourses. 14 B. Boundary lines, size and tract of whole site and each individual lot in square feet and/or acres. 15 C. Any existing water mains, culverts, sewer lines, railroads, easements, parks, permanent buildings, power poles, other underground structures and streets within the tract or immediately adjacent thereto, including the location, dimension and size of the nearest water main and sewer line. 16 D. The proposed location and width of streets, alleys, lots, parking areas, pedestrian walks, ingress/egress, setback lines and easements. 17 E. The title under which the proposed subdivision is to be recorded and the name of the subdivider and owner if other than the subdivider platting the tract. 18 F. The names and boundaries of all adjoining subdivisions and the names of recorded owners of adjoining parcels including mailling addresses and parcel numbers within 200 feet of the site. 19 G. North point, scale and date. 10 H. Existing contours with intervals of five feet or less referred to U.S.G.S. datum and obtained from a field survey. 11 L. The seal, registry number and signature of the registered surveyor and professional engineer who prepared the plat. 19 J. The plan should evaluate existing watercourses, channels, storm sewers, culverts and proposed improvements pertaining to drainage and flood control in regard to their ability to handle the anticipated greater volume of run-off and peak flows. 10 K. Any existing building(s) to remain or to be razed. 11 L. Location of any wooded areas, topographic and natural features that are within and adjacent to the proposed project area to be preserved. 12 M. If and how the proposed subdivision will be subdivided in Phases. 13 N. Site Analysis as stipulated in Section 402(b). 14 O. Landscaping Plan 15 P. Building Concepts, as applicable.	8	Vicinity Map
11 Number of proposed lots. 12 Preliminary Plat shall show the following: 13 A. The location of present property and section lines, streets, buildings, lakes and watercourses. 14 B. Boundary lines, size and tract of whole site and each individual lot in square feet and/or acres. 15 C. Any existing water mains, culverts, sewer lines, railroads, easements, parks, permanent buildings, power poles, other underground structures and streets within the tract or immediately adjacent thereto, including the location, dimension and size of the nearest water main and sewer line. 16 D. The proposed location and width of streets, alleys, lots, parking areas, pedestrian walks, ingress/egress, setback lines and easements. 17 E. The title under which the proposed subdivision is to be recorded and the name of the subdivider and owner if other than the subdivider platting the tract. 18 F. The names and boundaries of all adjoining subdivisions and the names of recorded owners of adjoining parcels including mailling addresses and parcel numbers within 200 feet of the site. 19 G. North point, scale and date. 10 H. Existing contours with intervals of five feet or less referred to U.S.G.S. datum and obtained from a field survey. 11 The seal, registry number and signature of the registered surveyor and professional engineer who prepared the plat. 12 J. The plan should evaluate existing watercourses, channels, storm sewers, culverts and proposed improvements pertaining to drainage and flood control in regard to their ability to handle the anticipated greater volume of run-off and peak flows. 18 K. Any existing building(s) to remain or to be razed. 19 L. Location of any wooded areas, topographic and natural features that are within and adjacent to the proposed project area to be preserved. 19 M. If and how the proposed subdivision will be subdivided in Phases. 10 L. Landscaping Plan 11 P. Building Concepts, as applicable.	9	The zoning district in which the site is located.
Preliminary Plat shall show the following:  A. The location of present property and section lines, streets, buildings, lakes and watercourses.  B. Boundary lines, size and tract of whole site and each individual lot in square feet and/or acres.  C. Any existing water mains, culverts, sewer lines, railroads, easements, parks, permanent buildings, power poles, other underground structures and streets within the tract or immediately adjacent thereto, including the location, dimension and size of the nearest water main and sewer line.  D. The proposed location and width of streets, alleys, lots, parking areas, pedestrian walks, ingress/egress, setback lines and easements.  The title under which the proposed subdivision is to be recorded and the name of the subdivider and owner if other than the subdivider platting the tract.  F. The names and boundaries of all adjoining subdivisions and the names of recorded owners of adjoining parcels including mailing addresses and parcel numbers within 200 feet of the site.  G. North point, scale and date.  H. Existing contours with intervals of five feet or less referred to U.S.G.S. datum and obtained from a field survey.  I. The seal, registry number and signature of the registered surveyor and professional engineer who prepared the plat.  J. The plan should evaluate existing watercourses, channels, storm sewers, culverts and proposed improvements pertaining to drainage and flood control in regard to their ability to handle the anticipated greater volume of run-off and peak flows.  K. Any existing building(s) to remain or to be razed.  L. Location of any wooded areas, topographic and natural features that are within and adjacent to the proposed project area to be preserved.  M. If and how the proposed subdivision will be subdivided in Phases.  N. Site Analysis as stipulated in Section 402(b).  D. Landscaping Plan  P. Building Concepts, as applicable.	10	Required Fee.
A. The location of present property and section lines, streets, buildings, lakes and watercourses.  B. Boundary lines, size and tract of whole site and each individual lot in square feet and/or acres.  C. Any existing water mains, culverts, sewer lines, railroads, easements, parks, permanent buildings, power poles, other underground structures and streets within the tract or immediately adjacent thereto, including the location, dimension and size of the nearest water main and sewer line.  D. The proposed location and width of streets, alleys, lots, parking areas, pedestrian walks, ingress/egress, setback lines and easements.  E. The title under which the proposed subdivision is to be recorded and the name of the subdivider and owner if other than the subdivider platting the tract.  F. The names and boundaries of all adjoining subdivisions and the names of recorded owners of adjoining parcels including mailing addresses and parcel numbers within 200 feet of the site.  G. North point, scale and date.  H. Existing contours with intervals of five feet or less referred to U.S.G.S. datum and obtained from a field survey.  I. The seal, registry number and signature of the registered surveyor and professional engineer who prepared the plat.  J. The plan should evaluate existing watercourses, channels, storm sewers, culverts and proposed improvements pertaining to drainage and flood control in regard to their ability to handle the anticipated greater volume of run-off and peak flows.  K. Any existing building(s) to remain or to be razed.  L. Location of any wooded areas, topographic and natural features that are within and adjacent to the proposed project area to be preserved.  M. If and how the proposed subdivision will be subdivided in Phases.  N. Site Analysis as stipulated in Section 402(b).  O. Landscaping Plan  P. Building Concepts, as applicable.	11	Number of proposed lots.
B. Boundary lines, size and tract of whole site and each individual lot in square feet and/or acres.  C. Any existing water mains, culverts, sewer lines, railroads, easements, parks, permanent buildings, power poles, other underground structures and streets within the tract or immediately adjacent thereto, including the location, dimension and size of the nearest water main and sewer line.  D. The proposed location and width of streets, alleys, lots, parking areas, pedestrian walks, ingress/egress, setback lines and easements.  E. The title under which the proposed subdivision is to be recorded and the name of the subdivider and owner if other than the subdivider platting the tract.  F. The names and boundaries of all adjoining subdivisions and the names of recorded owners of adjoining parcels including mailing addresses and parcel numbers within 200 feet of the site.  G. North point, scale and date.  H. Existing contours with intervals of five feet or less referred to U.S.G.S. datum and obtained from a field survey.  I. The seal, registry number and signature of the registered surveyor and professional engineer who prepared the plat.  J. The plan should evaluate existing watercourses, channels, storm sewers, culverts and proposed improvements pertaining to drainage and flood control in regard to their ability to handle the anticipated greater volume of run-off and peak flows.  K. Any existing building(s) to remain or to be razed.  L. Location of any wooded areas, topographic and natural features that are within and adjacent to the proposed project area to be preserved.  M. If and how the proposed subdivision will be subdivided in Phases.  N. Site Analysis as stipulated in Section 402(b).  D. Landscaping Plan  P. Building Concepts, as applicable.	12	Preliminary Plat shall show the following:
C. Any existing water mains, culverts, sewer lines, railroads, easements, parks, permanent buildings, power poles, other underground structures and streets within the tract or immediately adjacent thereto, including the location, dimension and size of the nearest water main and sewer line.  D. The proposed location and width of streets, alleys, lots, parking areas, pedestrian walks, ingress/egress, setback lines and easements.  E. The title under which the proposed subdivision is to be recorded and the name of the subdivider and owner if other than the subdivider platting the tract.  F. The names and boundaries of all adjoining subdivisions and the names of recorded owners of adjoining parcels including mailing addresses and parcel numbers within 200 feet of the site.  G. North point, scale and date.  H. Existing contours with intervals of five feet or less referred to U.S.G.S. datum and obtained from a field survey.  I. The seal, registry number and signature of the registered surveyor and professional engineer who prepared the plat.  J. The plan should evaluate existing watercourses, channels, storm sewers, culverts and proposed improvements pertaining to drainage and flood control in regard to their ability to handle the anticipated greater volume of run-off and peak flows.  E. Any existing building(s) to remain or to be razed.  L. Location of any wooded areas, topographic and natural features that are within and adjacent to the proposed project area to be preserved.  M. If and how the proposed subdivision will be subdivided in Phases.  N. Site Analysis as stipulated in Section 402(b).  D. Landscaping Plan  P. Building Concepts, as applicable.	12	A. The location of present property and section lines, streets, buildings, lakes and watercourses.
underground structures and streets within the tract or immediately adjacent thereto, including the location, dimension and size of the nearest water main and sewer line.  D. The proposed location and width of streets, alleys, lots, parking areas, pedestrian walks, ingress/egress, setback lines and easements.  E. The title under which the proposed subdivision is to be recorded and the name of the subdivider and owner if other than the subdivider platting the tract.  F. The names and boundaries of all adjoining subdivisions and the names of recorded owners of adjoining parcels including mailing addresses and parcel numbers within 200 feet of the site.  G. North point, scale and date.  H. Existing contours with intervals of five feet or less referred to U.S.G.S. datum and obtained from a field survey.  I. The seal, registry number and signature of the registered surveyor and professional engineer who prepared the plat.  J. The plan should evaluate existing watercourses, channels, storm sewers, culverts and proposed improvements pertaining to drainage and flood control in regard to their ability to handle the anticipated greater volume of run-off and peak flows.  K. Any existing building(s) to remain or to be razed.  L. Location of any wooded areas, topographic and natural features that are within and adjacent to the proposed project area to be preserved.  M. If and how the proposed subdivision will be subdivided in Phases.  N. Site Analysis as stipulated in Section 402(b).  P. Building Concepts, as applicable.	12	B. Boundary lines, size and tract of whole site and each individual lot in square feet and/or acres.
and easements.  E. The title under which the proposed subdivision is to be recorded and the name of the subdivider and owner if other than the subdivider platting the tract.  F. The names and boundaries of all adjoining subdivisions and the names of recorded owners of adjoining parcels including mailing addresses and parcel numbers within 200 feet of the site.  G. North point, scale and date.  H. Existing contours with intervals of five feet or less referred to U.S.G.S. datum and obtained from a field survey.  I. The seal, registry number and signature of the registered surveyor and professional engineer who prepared the plat.  J. The plan should evaluate existing watercourses, channels, storm sewers, culverts and proposed improvements pertaining to drainage and flood control in regard to their ability to handle the anticipated greater volume of run-off and peak flows.  K. Any existing building(s) to remain or to be razed.  L. Location of any wooded areas, topographic and natural features that are within and adjacent to the proposed project area to be preserved.  M. If and how the proposed subdivision will be subdivided in Phases.  N. Site Analysis as stipulated in Section 402(b).  O. Landscaping Plan  P. Building Concepts, as applicable.	12	underground structures and streets within the tract or immediately adjacent thereto, including the location, dimension and size of the nearest water main and sewer line.
the subdivider platting the tract.  F. The names and boundaries of all adjoining subdivisions and the names of recorded owners of adjoining parcels including mailing addresses and parcel numbers within 200 feet of the site.  G. North point, scale and date.  H. Existing contours with intervals of five feet or less referred to U.S.G.S. datum and obtained from a field survey.  I. The seal, registry number and signature of the registered surveyor and professional engineer who prepared the plat.  J. The plan should evaluate existing watercourses, channels, storm sewers, culverts and proposed improvements pertaining to drainage and flood control in regard to their ability to handle the anticipated greater volume of run-off and peak flows.  K. Any existing building(s) to remain or to be razed.  L. Location of any wooded areas, topographic and natural features that are within and adjacent to the proposed project area to be preserved.  M. If and how the proposed subdivision will be subdivided in Phases.  N. Site Analysis as stipulated in Section 402(b).  O. Landscaping Plan  P. Building Concepts, as applicable.	12	and easements.
ing mailing addresses and parcel numbers within 200 feet of the site.  G. North point, scale and date.  H. Existing contours with intervals of five feet or less referred to U.S.G.S. datum and obtained from a field survey.  I. The seal, registry number and signature of the registered surveyor and professional engineer who prepared the plat.  J. The plan should evaluate existing watercourses, channels, storm sewers, culverts and proposed improvements pertaining to drainage and flood control in regard to their ability to handle the anticipated greater volume of run-off and peak flows.  K. Any existing building(s) to remain or to be razed.  L. Location of any wooded areas, topographic and natural features that are within and adjacent to the proposed project area to be preserved.  M. If and how the proposed subdivision will be subdivided in Phases.  N. Site Analysis as stipulated in Section 402(b).  D. Landscaping Plan  P. Building Concepts, as applicable.	12	the subdivider platting the tract.
H. Existing contours with intervals of five feet or less referred to U.S.G.S. datum and obtained from a field survey.  I. The seal, registry number and signature of the registered surveyor and professional engineer who prepared the plat.  J. The plan should evaluate existing watercourses, channels, storm sewers, culverts and proposed improvements pertaining to drainage and flood control in regard to their ability to handle the anticipated greater volume of run-off and peak flows.  K. Any existing building(s) to remain or to be razed.  L. Location of any wooded areas, topographic and natural features that are within and adjacent to the proposed project area to be preserved.  M. If and how the proposed subdivision will be subdivided in Phases.  N. Site Analysis as stipulated in Section 402(b).  D. Landscaping Plan  P. Building Concepts, as applicable.	12	
12 I. The seal, registry number and signature of the registered surveyor and professional engineer who prepared the plat.  J. The plan should evaluate existing watercourses, channels, storm sewers, culverts and proposed improvements pertaining to drainage and flood control in regard to their ability to handle the anticipated greater volume of run-off and peak flows.  12 K. Any existing building(s) to remain or to be razed.  12 L. Location of any wooded areas, topographic and natural features that are within and adjacent to the proposed project area to be preserved.  12 M. If and how the proposed subdivision will be subdivided in Phases.  13 N. Site Analysis as stipulated in Section 402(b).  14 O. Landscaping Plan  15 P. Building Concepts, as applicable.	12	G. North point, scale and date.
J. The plan should evaluate existing watercourses, channels, storm sewers, culverts and proposed improvements pertaining to drainage and flood control in regard to their ability to handle the anticipated greater volume of run-off and peak flows.  12 K. Any existing building(s) to remain or to be razed.  12 L. Location of any wooded areas, topographic and natural features that are within and adjacent to the proposed project area to be preserved.  12 M. If and how the proposed subdivision will be subdivided in Phases.  13 N. Site Analysis as stipulated in Section 402(b).  14 O. Landscaping Plan  15 P. Building Concepts, as applicable.	12	H. Existing contours with intervals of five feet or less referred to U.S.G.S. datum and obtained from a field survey.
ing to drainage and flood control in regard to their ability to handle the anticipated greater volume of run-off and peak flows.  K. Any existing building(s) to remain or to be razed.  L. Location of any wooded areas, topographic and natural features that are within and adjacent to the proposed project area to be preserved.  M. If and how the proposed subdivision will be subdivided in Phases.  N. Site Analysis as stipulated in Section 402(b).  O. Landscaping Plan  P. Building Concepts, as applicable.	12	I. The seal, registry number and signature of the registered surveyor and professional engineer who prepared the plat.
L. Location of any wooded areas, topographic and natural features that are within and adjacent to the proposed project area to be preserved.  M. If and how the proposed subdivision will be subdivided in Phases.  N. Site Analysis as stipulated in Section 402(b).  O. Landscaping Plan  P. Building Concepts, as applicable.	12	ing to drainage and flood control in regard to their ability to handle the anticipated greater volume of run-off and peak
area to be preserved.  12 M. If and how the proposed subdivision will be subdivided in Phases.  12 N. Site Analysis as stipulated in Section 402(b).  12 O. Landscaping Plan  12 P. Building Concepts, as applicable.	12	
<ul> <li>N. Site Analysis as stipulated in Section 402(b).</li> <li>O. Landscaping Plan</li> <li>P. Building Concepts, as applicable.</li> </ul>	12	
12 O. Landscaping Plan 12 P. Building Concepts, as applicable.	12	M. If and how the proposed subdivision will be subdivided in Phases.
12 P. Building Concepts, as applicable.	12	N. Site Analysis as stipulated in Section 402(b).
	12	O. Landscaping Plan
12 R. Any other information that may be necessary as determined by Staff.	12	P. Building Concepts, as applicable.
	12	R. Any other information that may be necessary as determined by Staff.

### **Surrounding Property Owners**

On a separate sheet, provide the parcel numbers, names, and mailing addresses of all property owners within 200 feet of all boundaries of the property in question. The <u>Butler County Auditor Real Estate Search</u><sup>2</sup> is helpful when searching for the mailing address of adjoining property owners. It allows you to search by owner, address, or parcel number.

## Fees & Receipt

The required fee for preliminary plan is \$470.00 plus \$10.00 per lot, plus \$10.00 postage charge.

Sign and Date		
Applicant Signature *		
Date *		

### Submit Application, Plans and Documentation, and Fees

We will not accept incomplete applications and/or plans and documentation.

Send or drop off this application with required copies of the preliminary plans containing all required information as attachments and a check for the fee and postage charge made payable to **City of Oxford**, to Community Development Director, 15 South College Avenue, Oxford, OH 45056.

Direct questions to the Community Development Department at (513) 524-5204. The application will be placed on the next possible agenda.

Note: You must adhere to notification and publication requirements. Submit materials 45 days prior to the proposed Planning Commis-sion meeting on which the action is requested. City Staff will place a public hearing sign on the subject property. **The Applicant is re-sponsible for removing the signage at the completion of the hearing(s)**.

<sup>&</sup>lt;sup>1</sup> City of Oxford Codified Ordinances: <a href="http://www.cityofoxford.org/fees-ordinances-and-charter/">http://www.cityofoxford.org/fees-ordinances-and-charter/</a>

<sup>&</sup>lt;sup>2</sup> Butler County Auditor Real Estate Search: http://www.butlercountyauditor.org/